

# Instances of death in connection with Strattera treatment

## Children-Adolescents:

**24 suicides reported to FDA 2004-2010 (March)**  
**(Strattera reported as *Primary Suspect Drug, PS*)**

9	Years	M	6079094	LW
9	Years	M	6237403	MD
10	Years	M	5983572	MD
12	Years	M	5910416	MD
12	Years	M	6370501	CN
<b>13</b>	<b>Years</b>	<b>M</b>	<b>7038019</b>	<b>MD</b>
<b>14</b>	<b>Years</b>	<b>M</b>	<b>5913951</b>	<b>MD</b>
<b>14</b>	<b>Years</b>	<b>M</b>	<b>6183286</b>	<b>CN</b>
<b>14</b>	<b>Years</b>	<b>M</b>	<b>6315638</b>	<b>MD</b>
<b>14</b>	<b>Years</b>	<b>M</b>	<b>6617515</b>	<b>MD</b>
<b>14</b>	<b>Years</b>	<b>M</b>	<b>6865246</b>	<b>CN</b>
<b>15</b>	<b>Years</b>	<b>M</b>	<b>5671703</b>	<b>MD</b>
<b>15</b>	<b>Years</b>	<b>M</b>	<b>5952177</b>	<b>MD</b>
<b>16</b>	<b>Years</b>	<b>M</b>	<b>5951902</b>	<b>OT</b>
<b>16</b>	<b>Years</b>		<b>6322828</b>	<b>CN</b>
<b>16</b>	<b>Years</b>	<b>M</b>	<b>6393534</b>	<b>MD</b>
<b>16</b>	<b>Years</b>	<b>F</b>	<b>6814665</b>	<b>MD</b>
<b>17</b>	<b>Years</b>	<b>M</b>	<b>4152711</b>	<b>MD</b>
<b>17</b>	<b>Years</b>	<b>M</b>	<b>5738728</b>	<b>MD</b>
<b>17</b>	<b>Years</b>	<b>M</b>	<b>5924684</b>	
<b>18</b>	<b>Years</b>	<b>M</b>	<b>4168987</b>	<b>MD</b>
<b>18</b>	<b>Years</b>	<b>M</b>	<b>6026869</b>	<b>CN</b>
<b>18</b>	<b>Years</b>	<b>M</b>	<b>6900825</b>	<b>MD</b>
<b>19</b>	<b>Years</b>	<b>F</b>	<b>5923694</b>	<b>MD</b>

**+26 instances of death not from suicide, FDA 2004-2010**  
**(March) (Strattera reported as *Primary Suspect Drug*)**

3	Years	F	6355915	MD
5	Years	M	5882337	MD
5	Years	M	4112478	MD
5	Years	M	6102860	MD
6	Years	M	5876785	MD
6	Years	M	7227030	MD
7	Years	M	5890841	MD
8	Years	M	4199197	MD
9	Years	M	6164639	CN
10	Years	M	6109466	MD

11	Years	F	6014130	
11	Years	M	5754653	MD
11	Years	M	6789330	MD
12	Years		6042142	MD
12	Years	M	4041277	MD
12	Years		6447235	MD
12	Years	M	6019492	MD
13	Years	M	6694620	MD
13	Years	M	6102746	MD
14	Years	M	6411933	MD
14	Years		5923700	MD
14	Years	M	6941620	MD
14	Years	M	7084868	CN
16	Years	M	3970831	MD
17	Years	M	7080385	MD
19	Years	M	7030061	NR

**Summary children and adolescents: 24+26= 50 reported dead in FDA 2004-2010 (March) (with Strattera as *Primary Suspect Drug*, 38 of these reports by Health Care Professionals, HCPs).**

### **Adults:**

**+22 suicides reported to FDA 2004-2010 (March) (Strattera reported as *Primary Suspect Drug*)**

20	Years	F	5796217	OT
21	Years	M	6054812	PH
21	Years	M	6157560	
23	Years		6897255	MD
25	Years	M	6440228	MD
27	Years	M	5899462	MD
28	Years	M	6183275	CN
33	Years	F	6373005	
35	Years	F	4101722	MD
35	Years	M	4141401	MD
35	Years	F	6571904	CN
39	Years	M	5744981	MD
		M	5897087	
		M	5919125	
		M	5939430	
		M	6168850	MD
		M	6371858	MD
		M	6579175	MD
		M	6731814	CN
		F	6804007	MD

	32	Years	F	5651144	MD
	47	Years	F	5655897	MD

(The last two cases confirmed as fatal *suicide* cases in Lilly's reports to the MHRA)

**+33 instances of death, not from suicide, FDA 2004-2010  
(March) (Strattera reported as *Primary Suspect Drug*)**

20	Years	M	6164621	CN
20	Years	M	6785947	MD
23	Years	M	6829748	MD
24	Years	M	6014128	NR
26	Years	M	5731386	MD
27	Years	F	5996604	MD
33	Years	M	6076514	MD
35	Years	F	7218471	MD
37	Years	M	7254419	MD
41	Years	M	4157588	MD
41	Years	M	6316788	MD
42	Years	M	6353706	MD
42	Years	M	5658262	MD
45	Years	F	4148360	MD
45	Years	M	4126354	MD
46	Years	M	6046261	MD
49	Years	M	6018744	MD
49	Years	M	7088215	MD
50	Years	F	6234939	MD
55	Years	F	7022169	MD
65	Years	F	5862506	MD
65	Years	M	7029552	MD
68	Years	M	7027855	MD
71	Years	M	5769652	MD
76	Years	M	6353706	MD
		F	6043198	MD
		M	6014238	MD
		F	6508341	CN
		F	5764249	MD
		M	6551202	MD
		F	6610971	MD
		M	6642208	MD
		M	7312207	MD

**+ 9 stillbirth/abortion spontaneous FDA 2004-2010 (March)  
(Strattera reported as *Primary Suspect Drug*)**

	Stillbirth		6041125	MD
	Stillbirth		6045434	
	Abortion Spontaneous	F	4205958	

22	Abortion Spontaneous	F	5752581	OT
25	Abortion Spontaneous	F	6384021	CN
38	Abortion Spontaneous	F	5752476	CN
	Abortion Induced		4148345	MD
	Abortion induced	F	5680016	PH
25	Abortion Spontaneous	F	6543533	CN

**Summary adults, stillbirth/abortion spontaneous:**

**22+33+9= 64 reported dead in FDA 2004-2010 (March) (with Strattera as *Primary Suspect Drug*) (at least 45 of these reports by HCPs.)**

**SUMMARY OF FDA 2004-2010 (March) – Strattera as**

**PS: 50 children and adolescents + 55 adults + 9 stillbirth/abortion spontaneous = 114 deaths**

**(At least 83 of these reports by HCPs.)**

**In addition the following fatal cases in connection with Strattera treatment – with Strattera as Secondary Suspect Drug (SS) or with concomitant drugs (C) – are reported to FDA 2004-2008:**

**Children-Adolescents:**

**4 additional suicides**

18	Years	F	6169250	OT
18	Years	F	6191766	OT
19	Years	M	6524629	OT
19	Years	M	6558554	OT

**3 additional deaths**

12	Years	F	5778437	MD
14	Years		5891395	PH
17	Years	M	5737094	CN

## Adults:

### 8 additional suicides

20	Years	M	6096346	CN
21	Years	F	6385870	CN
26	Years	M	4210354	CN
41	Years	F	5738584	MD
50	Years	F	4220166	MD
59	Years	M	4112662	LW
		M	5701390	CN
		M	6516259	OT

### 7 additional deaths

38	Years	F	6229654	OT
44	Years	M	6296730	OT
45	Years	F	4201758	MD
46	Years	M	6106576	MD
48	Years	M	6169382	
50	Years	F	6238431	CN
		F	5905025	MD

### + 1 stillbirth/abortion spontaneous FDA 2004-2010 (March)

Abortion Spontaneous	5788809	OT
-------------------------	---------	----

## SUMMARY FROM FDA 2004-2010 (March) including Strattera in all Role Codes (PS, SS, C):

**28 (suicides) + 29 = 57 children and adolescents;**

**30 (suicides) + 40 = 70 adults**

**+ 10 stillbirth/abortion spontaneous**

**= 137 reported cases of death to FDA**