

Instances of death in connection with Strattera treatment

Children-Adolescents:

27 suicides reported to FDA 2004-2010

(Strattera reported as *Primary Suspect Drug, PS*)

| | | | | |
|----|-------|---|---------|----|
| 9 | Years | M | 6079094 | LW |
| 9 | Years | M | 6237403 | MD |
| 10 | Years | M | 5983572 | MD |
| 11 | Years | M | 7742610 | MD |
| 12 | Years | M | 5910416 | MD |
| 12 | Years | M | 6370501 | CN |
| 13 | Years | M | 7038019 | MD |
| 14 | Years | M | 5913951 | MD |
| 14 | Years | M | 6183286 | CN |
| 14 | Years | M | 6315638 | MD |
| 14 | Years | M | 6617515 | MD |
| 14 | Years | M | 6865246 | CN |
| 14 | Years | M | 7711725 | MD |
| 15 | Years | M | 5671703 | MD |
| 15 | Years | M | 5952177 | MD |
| 16 | Years | M | 5951902 | OT |
| 16 | Years | | 6322828 | CN |
| 16 | Years | M | 6393534 | MD |
| 16 | Years | F | 6814665 | MD |
| 17 | Years | M | 4152711 | MD |
| 17 | Years | M | 5738728 | MD |
| 17 | Years | M | 5924684 | |
| 18 | Years | M | 4168987 | MD |
| 18 | Years | M | 6026869 | CN |
| 18 | Years | M | 6900825 | MD |
| 19 | Years | F | 5923694 | MD |
| 19 | Years | M | 7618553 | MD |

**+28 instances of death not from suicide, FDA 2004-2010
(Strattera reported as *Primary Suspect Drug*)**

| | | | | |
|----|-------|---|---------|----|
| 3 | Years | F | 6355915 | MD |
| 5 | Years | M | 5882337 | MD |
| 5 | Years | M | 4112478 | MD |
| 5 | Years | M | 6102860 | MD |
| 6 | Years | M | 5876785 | MD |
| 6 | Years | M | 7227030 | MD |
| 7 | Years | M | 5890841 | MD |
| 8 | Years | M | 4199197 | MD |
| 8 | Years | M | 7533222 | MD |
| 9 | Years | M | 6164639 | CN |
| 10 | Years | M | 6109466 | MD |
| 10 | Years | M | 7398325 | MD |
| 11 | Years | F | 6014130 | |
| 11 | Years | M | 5754653 | MD |
| 11 | Years | M | 6789330 | MD |
| 12 | Years | | 6042142 | MD |
| 12 | Years | M | 4041277 | MD |
| 12 | Years | | 6447235 | MD |
| 12 | Years | M | 6019492 | MD |
| 13 | Years | M | 6694620 | MD |
| 13 | Years | M | 6102746 | MD |
| 14 | Years | M | 6411933 | MD |
| 14 | Years | | 5923700 | MD |
| 14 | Years | M | 6941620 | MD |
| 14 | Years | M | 7084868 | CN |
| 16 | Years | M | 3970831 | MD |
| 17 | Years | M | 7080385 | MD |
| 19 | Years | M | 7030061 | NR |

**Summary children and adolescents: 27+28= 55 reported
dead in FDA 2004-2010 (with Strattera as *Primary Suspect Drug*,
43 of these reports by Health Care Professionals, HCPs).**

Adults:

**+23 suicides reported to FDA 2004-2010
(Strattera reported as *Primary Suspect Drug*)**

| | | | | |
|----|-------|---|---------|----|
| 20 | Years | F | 5796217 | OT |
| 21 | Years | M | 6054812 | PH |
| 21 | Years | M | 6157560 | |
| 23 | Years | | 6897255 | MD |

| | | | | |
|----|-------|---|---------|----|
| 25 | Years | M | 6440228 | MD |
| 27 | Years | M | 5899462 | MD |
| 28 | Years | M | 6183275 | CN |
| 33 | Years | F | 6373005 | |
| 35 | Years | F | 4101722 | MD |
| 35 | Years | M | 4141401 | MD |
| 35 | Years | F | 6571904 | CN |
| 35 | Years | M | 7502915 | MD |
| 39 | Years | M | 5744981 | MD |
| | | M | 5897087 | |
| | | M | 5919125 | |
| | | M | 5939430 | |
| | | M | 6168850 | MD |
| | | M | 6371858 | MD |
| | | M | 6579175 | MD |
| | | M | 6731814 | CN |
| | | F | 6804007 | MD |
| 32 | Years | F | 5651144 | MD |
| 47 | Years | F | 5655897 | MD |

(The last two cases confirmed as fatal *suicide* cases in Lilly's reports to the MHRA)

**+33 instances of death, not from suicide, FDA 2004-2010
(Strattera reported as *Primary Suspect Drug*)**

| | | | | |
|----|-------|---|---------|----|
| 20 | Years | M | 6164621 | CN |
| 20 | Years | M | 6785947 | MD |
| 23 | Years | M | 6829748 | MD |
| 24 | Years | M | 6014128 | NR |
| 26 | Years | M | 5731386 | MD |
| 27 | Years | F | 5996604 | MD |
| 33 | Years | M | 6076514 | MD |
| 35 | Years | F | 7218471 | MD |
| 37 | Years | M | 7254419 | MD |
| 41 | Years | M | 4157588 | MD |
| 41 | Years | M | 6316788 | MD |
| 42 | Years | M | 6353706 | MD |
| 42 | Years | M | 5658262 | MD |
| 45 | Years | F | 4148360 | MD |
| 45 | Years | M | 4126354 | MD |
| 46 | Years | M | 6046261 | MD |
| 49 | Years | M | 6018744 | MD |
| 49 | Years | M | 7088215 | MD |
| 50 | Years | F | 6234939 | MD |
| 55 | Years | F | 7022169 | MD |
| 65 | Years | F | 5862506 | MD |
| 65 | Years | M | 7029552 | MD |
| 68 | Years | M | 7027855 | MD |

| | | | | |
|----|-------|---|---------|----|
| 71 | Years | M | 5769652 | MD |
| 76 | Years | M | 6353706 | MD |
| | | F | 6043198 | MD |
| | | M | 6014238 | MD |
| | | F | 6508341 | CN |
| | | F | 5764249 | MD |
| | | M | 6551202 | MD |
| | | F | 6610971 | MD |
| | | M | 6642208 | MD |
| | | M | 7312207 | MD |

+ 11 stillbirth/abortion spontaneous FDA 2004-2010
(Strattera reported as *Primary Suspect Drug*)

| | | | | |
|----|----------------------|--|---------|----|
| | Stillbirth | | 6041125 | MD |
| | Stillbirth | | 6045434 | |
| | Abortion Spontaneous | | 4205958 | |
| 22 | Abortion Spontaneous | | 5752581 | OT |
| 25 | Abortion Spontaneous | | 6384021 | CN |
| 38 | Abortion Spontaneous | | 5752476 | CN |
| | Abortion Induced | | 4148345 | MD |
| | Abortion induced | | 5680016 | PH |
| 25 | Abortion Spontaneous | | 6543533 | CN |
| 25 | Abortion Spontaneous | | 7389204 | MD |
| 33 | Abortion Spontaneous | | 7442851 | CN |

Summary adults, stillbirth/abortion spontaneous:
23+33+11= 67 reported dead in FDA 2004-2010 (with Strattera as *Primary Suspect Drug*) (at least 47 of these reports by HCPs.)

SUMMARY OF FDA 2004-2010 – Strattera as PS:
55 children and adolescents + 56 adults + 11 stillbirth/abortion spontaneous = 122 deaths
(At least 90 of these reports by HCPs.)

In addition the following fatal cases in connection with Strattera treatment – with Strattera as Secondary Suspect Drug (SS) or with concomitant drugs (C) – are reported to FDA 2004-2010:

Children-Adolescents:

4 additional suicides

| | | | | |
|----|-------|---|---------|----|
| 18 | Years | F | 6169250 | OT |
| 18 | Years | F | 6191766 | OT |
| 19 | Years | M | 6524629 | OT |
| 19 | Years | M | 6558554 | OT |

5 additional deaths

| | | | | |
|----|-------|---|---------|----|
| 9 | Years | M | 7406321 | MD |
| 12 | Years | F | 5778437 | MD |
| 12 | Years | M | 7298887 | MD |
| 14 | Years | | 5891395 | PH |
| 17 | Years | M | 5737094 | CN |

Adults:

10 additional suicides

| | | | | |
|----|-------|---|---------|----|
| 20 | Years | M | 6096346 | CN |
| 21 | Years | F | 6385870 | CN |
| 26 | Years | M | 4210354 | CN |
| 26 | Years | M | 7499466 | OT |
| 41 | Years | F | 5738584 | MD |
| 50 | Years | F | 4220166 | MD |
| 55 | Years | M | 7665171 | PH |
| 59 | Years | M | 4112662 | LW |
| | | M | 5701390 | CN |
| | | M | 6516259 | OT |

8 additional deaths

| | | | | |
|----|-------|---|---------|----|
| 38 | Years | F | 6229654 | OT |
| 44 | Years | M | 6296730 | OT |
| 45 | Years | F | 4201758 | MD |
| 46 | Years | M | 6106576 | MD |
| 48 | Years | M | 6169382 | |
| 50 | Years | F | 6238431 | CN |
| | | F | 5905025 | MD |
| | | F | 7268345 | MD |

+ 1 stillbirth/abortion spontaneous FDA 2004-2010

| | | |
|-------------------------|---------|----|
| Abortion Spontaneous | 5788809 | OT |
|-------------------------|---------|----|

**SUMMARY FROM FDA 2004-2010 including Strattera in
all Role Codes (PS, SS, C):**

31 (suicides) + 33 = 64 children and adolescents;

33 (suicides) + 41 = 74 adults

+ 12 stillbirth/abortion spontaneous

= 150 reported cases of death to FDA