```
KM RET_DAYS BY TREAT
  /STATUS=Event(1)
  /PRINT TABLE MEAN
  /PLOT SURVIVAL.
```

Kaplan-Meier

Case Processing Summary

Treatment	Total N	N of Events	Censored	
			N	Percent
placebo	27	23	4	14,8%
methylphenidate	27	18	9	33,3%
Overall	54	41	13	24,1%

Survival Table

Treatment		Time	Status	Cumulative Proportion Surviving at the Time		N of Cumulative Events	N of Remaining Cases
				Estimate	Std. Error		
placebo	1	1,000	drop out	,963	,036	1	26
	2	4,000	drop out	,926	,050	2	25
	3	13,000	drop out	,889	,060	3	24
	4	14,000	drop out	.	.	4	23
	5	14,000	drop out	.	.	5	22
	6	14,000	drop out	,778	,080	6	21
	7	15,000	drop out	.	.	7	20
	8	15,000	drop out	.	.	8	19
	9	15,000	drop out	.	.	9	18
	10	15,000	drop out	.	.	10	17
	11	15,000	drop out	,593	,095	11	16
	12	16,000	drop out	,556	,096	12	15

	13	18,000	drop out	.	.	13	14
	14	18,000	drop out	,481	,096	14	13
	15	19,000	drop out	,444	,096	15	12
	16	20,000	drop out	,407	,095	16	11
	17	24,000	drop out	,370	,093	17	10
	18	27,000	drop out	,333	,091	18	9
	19	28,000	drop out	,296	,088	19	8
	20	31,000	drop out	,259	,084	20	7
	21	40,000	drop out	,222	,080	21	6
	22	42,000	drop out	,185	,075	22	5
	23	98,000	0	.	.	22	4
	24	112,000	drop out	,139	,069	23	3
	25	116,000	0	.	.	23	2
	26	147,000	0	.	.	23	1
	27	166,000	0	.	.	23	0
methylphenidate	1	3,000	drop out	,963	,036	1	26
	2	14,000	drop out	,926	,050	2	25
	3	15,000	drop out	.	.	3	24
	4	15,000	drop out	,852	,068	4	23
	5	18,000	drop out	,815	,075	5	22
	6	23,000	drop out	,778	,080	6	21
	7	28,000	drop out	,741	,084	7	20
	8	30,000	drop out	,704	,088	8	19
	9	36,000	drop out	,667	,091	9	18
	10	37,000	drop out	,630	,093	10	17
	11	42,000	drop out	,593	,095	11	16
	12	44,000	drop out	,556	,096	12	15
	13	46,000	drop out	,519	,096	13	14
	14	51,000	drop out	,481	,096	14	13
	15	60,000	drop out	,444	,096	15	12
	16	84,000	drop out	,407	,095	16	11
	17	130,000	drop out	,370	,093	17	10
	18	161,000	drop out	,333	,091	18	9
	19	163,000	0	.	.	18	8
	20	166,000	0	.	.	18	7
	21	168,000	0	.	.	18	6

22	168,000	0	.	.	18	5
23	168,000	0	.	.	18	4
24	168,000	0	.	.	18	3
25	168,000	0	.	.	18	2
26	168,000	0	.	.	18	1
27	168,000	0	.	.	18	0

Means and Medians for Survival Time

	Mean[a]				Median			
			95% Confidence Interval				95% Confidence Interval	
Treatment	Estimate	Std. Error	Lower Bound	Upper Bound	Estimate	Std. Error	Lower Bound	Upper Bound
placebo	43,722	10,348	23,440	64,004	18,000	2,596	12,911	23,089
methylphenidate	87,000	12,690	62,127	111,873	51,000	13,847	23,860	78,140
Overall	65,553	8,730	48,442	82,664	30,000	6,124	17,998	42,002

a. Estimation is limited to the largest survival time if it is censored.


Survival Functions
Cum Survival
1,0
0,8
0,6
0,4
0,2
0,0
0
50
100
150
200
Days in treatment
Treatment
placebo
methylphenidate
placebo-censored
methylphenidate-censored